



Meguiar's USA  
17991 Mitchell South  
Irvine, CA 92614  
Tel: 949-752-8000  
Fax: 949-752-5784

In case of **emergency or spill**, contact CHEMTREC at 800-424-9300

## MATERIAL SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

**Product Name:** M26 - Hi-Tech Yellow Wax

**Print date:** 09/28/2005

**Reference Number:** 18-111D

**Prepared Date:** 02/28/2005

#### Use of the Substance/Preparation

**Recommended use:** Wax emulsion.

#### Company/Undertaking Identification

**Meguiar's Holland**  
Laan der Verenigde Naties 40  
33174 DA Dordrecht  
Holland  
Tel: 31-78-6210268

**Meguiar's Hong Kong**  
Suite 6-7, 20/F Marina House  
68 Hing Man Street  
Shaukeiwan  
Hong Kong  
Tel: 852-2967-0202

**Meguiar's France**  
79 avenue Edouard Vaillant  
92100 BOULOGNE  
France  
Tel: 33-1-46-10-47-81

**Meguiar's UK Ltd.**  
14 Cottesbrooke Park  
Heartlands  
Daventry NN11 5YL  
Tel: 0870 241 6696  
Fax: 01327 300 116

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

#### Chemical nature of the preparation

Components	CAS #	% Weight	OSHA PEL TWA	EINECS No.	Classification
Isoparaffinic Hydrocarbon	64742-47-8	5-15	None	265-149-8	Xn; R65
Calcined Kaolin Clay	66402-68-4	1-5	10mg/m <sup>3</sup>	266-340-9	Xi; R38
Isoparaffinic Hydrocarbon	64742-48-9	5-15	None	265-150-3	Xn; R-65
Hydrotreated Distillate	64742-46-7	5-10	None	---	R65

### 3. HAZARDS IDENTIFICATION

#### **Most important hazards:**

Harmful if swallowed. This product contains chemicals listed on Canada WHMIS. See Section 15.

### 4. FIRST AID MEASURES

#### **General Advice:**

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### **Inhalation:**

Avoid breathing vapors or mists. Move to fresh air. Consult a physician.

#### **Skin contact:**

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

**Eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Ingestion:** Rinse mouth. Drink 1 or 2 glasses of water. Consult a physician.

## 5. FIRE-FIGHTING MEASURES

**NFPA:**

**Health:** 1

**Flammability:** 1

**Reactivity:** 0

**Suitable extinguishing media:**

Use dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam.

**Specific hazards:**

Heating can release hazardous gases.

**Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

**Extinguishing media which must not be used for safety reasons:**

Not applicable

**Specific methods:**

Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Ensure adequate ventilation.

**Environmental precautions:** Do not contaminate surface water. Prevent further leakage or spillage.

**Methods for cleaning up:** Wipe up with absorbent material (e.g. cloth, fleece). Dispose of contaminated material as waste according to item 13. See section 7 for information on safe handling.

## 7. HANDLING AND STORAGE

**Handling:**

**Technical measures/precautions:**

Use only in area well ventilated area.

**Safe handling advice:**

Keep away from sources of ignition - no smoking.

**Storage:**

Store at room temperature in the original container. Keep away from direct sunlight. Keep away from heat. Do not freeze.

**Incompatible products:**

Do not store together with acids or oxidizers.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering measures to reduce exposure:** Ensure adequate ventilation..

**Respiratory protection:** Ensure good ventilation. In case of insufficient ventilation wear suitable respiratory equipment.



Components	Ecotoxicity - Freshwater Algae	Exotoxicity - Microtox
Calcined Kaolin Clay 66402-68-4	= 30 ug/L 96 Hr EC50 freshwater algae (Selenastrum capricornutum)	

### 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:**

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Contaminated packaging:**

Disposal must be made according to local and federal regulations.

**Ewc waste disposal no:**

Not applicable

**Further information**

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific

### 14. TRANSPORT INFORMATION

**General Transportation Statement**

This product does not require classification by DOT, IATA, ICAO or IMDG.

**Other information:**

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements and mode-specific or quantity-specific shipping requirements.

### 15. REGULATORY INFORMATION

Components	TSCA	DSL/NDSL	Canada - WHMIS Classification
Isoparaffinic Hydrocarbon 64742-47-8	Present	Present	
Calcined Kaolin Clay 66402-68-4	Present	Present	B4;D2B
Isoparaffinic Hydrocarbon 64742-48-9	Present	Present	
Hydrotreated Distillate 64742-46-7	Present	Present	

**CERCLA/SARA 313 Emission reporting**

None

### 16. OTHER INFORMATION

**Prepared by:**

Health & Safety

**Literary reference:**

None

**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist

**End of Safety Data Sheet**