

SECTION 1 – MANUFACTURER INFORMATION

MANUF/DIST. Majestic Solutions Distributing Co, Inc.
1310 G. Corporation Pkwy
Raleigh, NC 27610
PREPARER/CONTACT: Jeff Todd – For product information, 919-212-1150
MEDICAL/TRANSPORATION EMERGENCY:INFOTRAC 800-535-5053

TRADE NAME/SYMOYMS: LEATHER & PLASTIC CLEANER
CHEMICAL NAME/SYNOMYMS: NOT APPLICABLE
CHEMICAL FAMILY: NOT APPLICABLE
FORMULA: Proprietary
PRODUCT CODE: NOT APPLICABLE

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM:

Health	1			4 = Extreme
Fire	0			3 = High
Reactivity		0		2 = Moderate
Specific	X			1 = Slight
				0 = Insignificant
				X = See Text

SECTION 2 - HAZARDOUS INGREDIENTS

NAMES OF HAZARDOUS INGREDIENTS: See CFR29§1910.1200 (I)-(13) Page 372

CHEMICAL/COMMON NAME	CAS#	PERCENTAGE	PEL-OSHA	TLV-ACGIH
Sodium Hydroxide	1310-73-2	<1	2mg/m3	2mg/m3
Alklphenol Ethoxylate	9016-45-9	<1	N/A	N/A

THIS PRODUCT DOES NOT CONTAIN CARCINOGENS: (NTP, IARC, OSHA)

SECTION 3 – HEALTH HAZARD DATA

HEALTH EFFECTS (Acute and Chronic):

- *Acute*
- a) Eyes – Can cause burns.
 - b) Skin – Prolonged contact can cause irritation.
 - c) Inhalation – N/A
 - d) Ingestion – Can cause gastro-intestinal irritation, nausea, vomiting, and diarrhea.
- *Chronic* None Known

PRIMARY ROUTES OF ENTRY: a) Skin b) Inhalation
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

EMERGENCY FIRST AID PROCEDURES:

- A) Skin – Immediately flush skin with lots of running water for at least 30 minutes. Remove contaminated clothing and shoes. Wash before reuse.
- B) Eyes – Flush immediately with large quantities of water for at least 15 minutes. Consult physician.
- C) Inhalation – If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. If breathing is difficult, administer oxygen. Keep person warm, quiet and get medical attention.
- D) Ingestion – Do not induce vomiting. Call physician immediately. If conscious give quart of water. Do not give anything by mouth to an unconscious or convulsing person.

SECTION 4 – CHEMICAL DATA

BOILING POINT (F):	100°C	SPECIFIC GRAVITY (WATER=1)	1.020
VAPOR PRESSURE (mmHg)	< 20	PERCENT VOLATILE BY VOLUME (%)	0
VAPOR DENSITY (AIR = 1)	N/A	EVAPORATION RATE (WATER = 1)	

Slower
SOLUBILITY IN WATER: 100%
APPEARANCE/ODOR: Clear dark tan liquid.

SECTION 5 – FIRE + PHYSICAL HAZARD DATA

FLASH POINT (Method Used): None FLAMMABLE LIMITS: LEL=N/A UEL=N/A
AUTO-IGNITION: N/A
EXTINGUISHING MEDIA: Noncombustible liquid
SPECIAL FIRE FIGHTING PROCEDURES: N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A
INCOMPATIBILITY: (Material To Avoid): Reacts with magnesium, aluminum, zinc, tin, bronze, chromium, and brass
HAZARDOUS DECOMPOSITION PRODUCTS: N/A

HAZARDOUS POLYMERIZATION WILL NOT OCCUR

THIS PRODUCT IS STABLE

SECTION 6 – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Absorb the large spill on suitable absorbable. Wash the residue down the drain or pit with plenty of water. Small spills can be flushed down the drain with plenty of water.

WASTE DISPOSAL METHODS: Dispose of according to local, state and federal regulations.

SECTION 7 – EXPOSURE CONTROL INFORMATION

VENTILATION:

LOCAL EXHAUST: Below TLV(s)

MECHANICAL (General): Recommended

SPECIAL: N/A

OTHER: N/A

RESPIRATORY PROTECTION: N/A

PROTECTIVE GLOVES: Wear resistant gloves such as nitrile, rubber, PVC, etc.

OTHER PROTECTIVE EQUIPMENT: Eye wash and quick drench facilities.

OTHER ENGINEERING CONTROLS: None Known

WORK PRACTICES: Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.

HYGIENIC PRACTICES: Avoid contact with eyes, skin, and clothing. Avoid inhalation of product vapors. Wash thoroughly after handling and before eating, drinking or smoking. Remove contaminated clothing promptly and wash thoroughly before reused.

SECTION 8 – SPECIAL PRECAUTION

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- A) Do not store near acids or acidic materials and oxidizers.
- B) Do not store under freezing conditions or above 120 degrees F.
- C) Protect from physical damage and keep tightly closed.

MAINTENANCE PRECAUTIONS:

When working with FLAMMABLE material electrically ground all equipment and use only non-sparking tools.

OTHER PRECAUTIONS:

Containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings.

Secondary containers and shipping papers should show the following cautions:

CLEANING COMPOUND, NOI, NOT HAZARDOUS

KEEP OUT OF REACH OF CHILDREN!